



SIRIM QAS INTERNATIONAL SDN. BHD.

(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel : 603-5544 6400 Emel : cserviceqas@sirim.my www.sirim-qas.com.my

File No : P5-010162
Licence No : PC002632

Date : 11/10/2022

WELL-BUILT ALLOY INDUSTRIES SDN. BHD.
NO. 5, JALAN RIANG 24
TAMAN GEMBIRA
JALAN TAMPOI
81200 JOHOR BAHRU
JOHOR, MALAYSIA

Attn : MR ONG LING GEE

Tel No : 607-3329173
Fax No : 607-3328664

Dear Sir/Madam,

Product Certification Licence

Product : SERVICING VALVE (COPPER ALLOY) FOR WATER SERVICE
Standard : BS 6675 : 1986

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Product Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : ROSLAN AZIZAN
Contact No : 03-55445895
Email : aroslan@sirim.my

Thank you.

This is a computer generated document. No signature is required.

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM



PC 05102004 CB 01



SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

WELL-BUILT ALLOY INDUSTRIES SDN. BHD.

NO. 5, JALAN RIANG 24

TAMAN GEMBIRA

JALAN TAMPOI

81200 JOHOR BAHRU

JOHOR, MALAYSIA

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

SERVICING VALVE (COPPER ALLOY) FOR WATER SERVICE

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan

as complying with

BS 6675 : 1986



Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

WELL-BUILT ALLOY INDUSTRIES SDN. BHD.



Trade Mark : CITY
Model : LOCKABLE VALVE; PATTERN : SPHERICAL PLUG
Rating : MAXIMUM WORKING PRESSURE : 16 bar; MAXIMUM WORKING TEMPERATURE : 30°C
Type : BODY MATERIAL : CW617N; END CONNECTION : SCREW ENDS
Size : NOMINAL SIZE : 1/2" AND 3/4"



PC 05102004 CB 01

Trade Mark : CITY
Model : LOCKABLE VALVE (P); PATTERN : SPHERICAL PLUG
Rating : MAXIMUM WORKING PRESSURE : 16 bar; MAXIMUM WORKING TEMPERATURE : 30°C
Type : BODY MATERIAL : CW617N; END CONNECTION : SCREW ENDS
Size : NOMINAL SIZE : 3/4"



Trade Mark : CITY
Model : LOCKABLE VALVE (J AND J1); PATTERN : SPHERICAL PLUG
Rating : MAXIMUM WORKING PRESSURE : 16 bar; MAXIMUM WORKING TEMPERATURE : 30°C
Type : BODY MATERIAL : CW617N; END CONNECTION : SCREW ENDS
Size : NOMINAL SIZE : 3/4"

Trade Mark : CITY
Model : LOCKABLE VALVE (K); PATTERN : SPHERICAL PLUG
Rating : MAXIMUM WORKING PRESSURE : 16 bar;
MAXIMUM WORKING TEMPERATURE : 30°C
Type : BODY MATERIAL : CW617N; END CONNECTION : SCREW ENDS
Size : MAXIMUM WORKING PRESSURE : 16 bar;
MAXIMUM WORKING TEMPERATURE : 30°C

End of page