

Ruj. Kami : SPAN/BPAI/300-10/356/A/W-2
Tarikh : 25 Oct 2022

WELL BUILT ALLOY INDUSTRIES SDN. BHD.
NO. 5 JALAN RIANG 24
TAMAN GEMBIRA
81200 JOHOR BAHRU
JOHOR DARUL TAKZIM
(U/P: ENCIK ONG LING GEE)

Tuan,

PERAKUAN PENYENARAIAN PEMBEKAL UNTUK PRODUK-PRODUK KEGUNAAN INDUSTRI PERKHIDMATAN AIR

Perkara di atas adalah dirujuk.

2. Sukacita dimaklumkan bahawa syarikat tuan telah disenaraikan sebagai pembekal produk-produk kegunaan industri perkhidmatan air seperti berikut:

					Maklumat Sijil Barangan		
Bil	No Penyenaiaan SPAN	Kegunaan	Produk	Jenama	No. Sijil	Standard	Tempoh Sah Laku
1	SPAN/BPAI/300-10/356/A/W-2	Sistem Bekalan Air	VALVE - STOP VALVE	CITY	SIRIM PW003703 Pengilang: WELL BUILT ALLOY INDUSTRIES SDN. BHD.	BS EN 1213:2000	31 Oct 2023

3. Penyenaiaan adalah **tertakluk sepenuhnya mengikut skop dan tempoh sahlaku sijil barangan** yang dikemukakan kepada SPAN. Penyenaiaan ini juga tertakluk kepada syarat-syarat khusus yang telah ditetapkan seperti yang dinyatakan di dalam lampiran sekiranya ada.

4. Syarikat yang memasuki penyenaiaan ini adalah **bertanggungjawab** untuk **memastikan bahawa sijil barangan adalah sah (valid)** pada sepanjang penyenaiaan dan **mengemaskini maklumat sijil barangan** kepada SPAN setiap kali pembaharuan sijil dibuat atau sekiranya terdapat perubahan pada skop pensijilan.

Suruhanjaya Perkhidmatan Air Negara
Ground & 1st Floor, Prima Avenue 7, Block 3510,
Jalan Teknokrat 6, 63000 Cyberjaya, Selangor, Malaysia
T 603 8317 9333/334/335 F 603 8317 9336/339
W www.span.gov.my



5. **Kegagalan tuan untuk mematuhi keperluan (4) boleh menyebabkan syarikat tuan dikeluarkan daripada penyenaian tanpa sebarang notis.** Produk yang telah dikeluarkan daripada senarai penyenaian adalah tidak dibenarkan untuk diguna pakai dalam mana-mana sistem bekalan air atau pembedungan di Semenanjung Malaysia, Wilayah Persekutuan Putrajaya dan Labuan.

Sekian, terima kasih.

Yang benar,



(Mohamad Nasir bin Mahmood)
Pengarah Kanan
Bahagian Pembangunan dan Audit Industri
Suruhanjaya Perkhidmatan Air Negara (SPAN)

No Listing : SPAN/BPAI/300-10/356/A/W-2

Tarikh : 25 Oct 2022



**PERAKUAN PENYENARAIAN PEMBEKAL
SYARAT-SYARAT KHUSUS**

PRODUCT : VALVE - STOP VALVE

STANDARD : BS EN 1213:2000

TIADA

No Listing : SPAN/BPAI/300-10/356/A/W-2

Tarikh : 25 Oct 2022



PERAKUAN PENYENARAIAN PEMBEKAL

PEMBEKAL : WELL BUILT ALLOY INDUSTRIES SDN. BHD.
 NO. 5 JALAN RIANG 24
 TAMAN GEMBIRA
 81200 JOHOR BAHRU
 JOHOR DARUL TAKZIM

PRODUK : VALVE - STOP VALVE

Model-model yang diluluskan oleh SPAN adalah seperti di bawah

No	Model	Series	Description
1	1" BRASS STOP COCK (ART.1013)	FLOW RATE=CLASS VA; ACOUSTIC GROUP=NOT CLASSIFIED(MATERIAL=CUZN40PB2; END CONNECTION=INTERNAL THREADS RP 1" IN BOTH SIDES NOMINAL SIZE: DN25
2	1/2" BS BRASS STOP COCK (ART.1011)	FLOW RATE=CLASS VA; ACOUSTIC GROUP=NOT CLASSIFIED(MATERIAL=CUZN40PB2; END CONNECTION=INTERNAL THREADS RP 1/2" IN BOTH SIDES NOMINAL SIZE: DN15
3	1/2" LD BRASS STOP COCK (ART.1002)	FLOW RATE=CLASS VA; ACOUSTIC GROUP=NOT CLASSIFIED(MATERIAL=CUZN40PB2; END CONNECTION=INTERNAL THREADS RP 1/2" IN BOTH SIDES NOMINAL SIZE: DN15
4	3/4" BS BRASS STOP COCK (ART.1012)	FLOW RATE=CLASS VA; ACOUSTIC GROUP=NOT CLASSIFIED(MATERIAL=CUZN40PB2; END CONNECTION=INTERNAL THREADS RP 3/4" IN BOTH SIDES NOMINAL SIZE: DN20
5	3/4" LD STOP COCK (ART.1003)	FLOW RATE=CLASS VA; ACOUSTIC GROUP=NOT CLASSIFIED(MATERIAL=CUZN40PB2; END CONNECTION=INTERNAL THREADS RP 3/4" IN BOTH SIDES NOMINAL SIZE: DN20
6	1 1/4" BRASS STOP COCK (ART.1014)	FLOW RATE=CLASS VA; ACOUSTIC GROUP=NOT CLASSIFIED(MATERIAL=CUZN40PB2; END CONNECTION=INTERNAL THREADS RP 1 1/4" IN BOTH SIDES NOMINAL SIZE: DN32
7	1 1/2" BRASS STOP COCK (ART.1015)	FLOW RATE=CLASS VA; ACOUSTIC GROUP=NOT CLASSIFIED(MATERIAL=CUZN40PB2; END CONNECTION=INTERNAL THREADS RP 1 1/2" IN BOTH SIDES NOMINAL SIZE: DN40
8	2" BRASS STOP COCK (ART.1016)	FLOW RATE=CLASS VA; ACOUSTIC GROUP=NOT CLASSIFIED(MATERIAL=CUZN40PB2; END CONNECTION=INTERNAL THREADS RP 2" IN BOTH SIDES NOMINAL SIZE: DN50
9	1" CONCEALED STOP COCK (CROSS HANDLE) (ART.1013C) (CH)	FLOW RATE=CLASS VA; ACOUSTIC GROUP=NOT CLASSIFIED(MATERIAL=CUZN40PB2; END CONNECTION=INTERNAL THREADS RP 1" IN BOTH SIDES NOMINAL SIZE: DN25
10	1" CONCEALED STOP COCK (DIAMOND HANDLE) (ART.1013C) (DH)	FLOW RATE=CLASS VA; ACOUSTIC GROUP=NOT CLASSIFIED(MATERIAL=CUZN40PB2; END CONNECTION=INTERNAL THREADS RP 1" IN BOTH SIDES NOMINAL SIZE: DN25

11	3/4" CONCEALED STOP COCK (DIAMOND HANDLE) (ART.1003C) (DH)	FLOW RATE=CLASS VA; ACOUSTIC GROUP=NOT CLASSIFIED(MATERIAL=CUZN40PB2; END CONNECTION=INTERNAL THREADS RP 3/4" IN BOTH SIDES NOMINAL SIZE: DN20
12	3/4" CONCEALED STOP COCK (CROSS HANDLE) (ART.1003C) (CH)	FLOW RATE=CLASS VA; ACOUSTIC GROUP=NOT CLASSIFIED(MATERIAL=CUZN40PB2; END CONNECTION=INTERNAL THREADS RP 3/4" IN BOTH SIDES NOMINAL SIZE: DN20
13	1/2" CONCEALED STOP COCK (CROSS HANDLE) (ART.1002C) (CH)	FLOW RATE=CLASS VA; ACOUSTIC GROUP=NOT CLASSIFIED(MATERIAL=CUZN40PB2; END CONNECTION=INTERNAL THREADS RP 1/2" IN BOTH SIDES NOMINAL SIZE: DN15
14	1/2" CONCEALED STOP COCK (DIAMOND HANDLE) (ART.1002C) (DH)	FLOW RATE=CLASS VA; ACOUSTIC GROUP=NOT CLASSIFIED(MATERIAL=CUZN40PB2; END CONNECTION=INTERNAL THREADS RP 1/2" IN BOTH SIDES NOMINAL SIZE: DN15